# ALTOSIDIGR100523008CUSTOM Blend 2%FOR CUSTOM BLENDING ONLY INTO CATTLE RATIONS

# TO PREVENT THE EMERGENCE OF HORN FLIES FROM THE MANURE OF TREATED CATTLE INCLUDING BREEDING AND LACTATING CATTLE AND CALVES

**ACTIVE INGREDIENT:** 

(S)-Methoprene	(CAS #65733-16-6)	. 2%
<b>OTHER INGREDI</b>	ENTS:	98%
Total	· · · · · · · · · · · · · · · · · · ·	100%

KEEP OUT OF REACH OF CHILDREN CAUTION

See below for additional Precautionary Statements/First Aid

This product contains ethoxyquin as a preservative. When blended into finished feeds at 20 lbs per ton, the resulting feed will be at the 150 ppm maximum limit established for ethoxyquin by FDA and AAFCO.

# PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wear protective eyewear such as safety glasses or goggles. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID		
If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.   • • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing Call a poison control center or doctor for treatment advice.		Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
		abel with you when calling a poison control center or doctor, or going for treatment. You may or emergency medical treatment information.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**General Information: Altosid® IGR Custom Blend 2%** is a premix intended for custom blending into cattle rations to control horn flies which develop in cattle manure. Use **Altosid® IGR Custom Blend 2%** only in cattle.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Blending and Feeding Altosid<sup>®</sup> IGR Custom Blend 2%: Altosid<sup>®</sup> IGR Custom Blend 2% prevents emergence of adult horn flies from the manure of treated cattle. Begin use 30 days prior to horn fly season and continue feeding until cold weather restricts horn fly activity.

Altosid<sup>®</sup> IGR Custom Blend 2% rations may be fed to beef and dairy cattle, including breeding cattle, lactating cattle, and calves. When used as directed, rations containing Altosid<sup>®</sup> IGR Custom Blend 2% may be fed up to slaughter, and to lactating dairy cows without withholding milk.

This product can be used in complete feeds, concentrates, hand feeds, or loose or block mineral or protein supplements.

Altosid<sup>®</sup> IGR Custom Blend 2% is fed to cattle at the level of 1695 mg of Altosid<sup>®</sup> IGR Custom Blend 2%/100 lb body weight/ month or the target rate of 34 mg of (S)-Methoprene/100 lb of body weight/month to achieve horn fly control. This rate is equal to 56.5 mg Altosid<sup>®</sup> IGR Custom Blend 2%/100 lb body weight/day.

FOR COMPLETE FEEDS AND SUPPLEMENTS: use the following formula: \*Cwt = 100 lb of body weight; i.e., 1,300 lb is 13 cwt

	Cwt*	=	lb of Altosid <sup>®</sup> IGR Custom Blend 2% (S)-Methoprene	
	4 X lb of ration/head/day		per ton of feed or supplement	Altosid
Example:	13 Cwt	=	.11 lb of Altosid <sup>®</sup> IGR Custom Blend 2% (S)-Methoprene	NET
	4 X 30 lb of ration/head/day		per ton of feed or supplement	

FOR MINERAL MIXES: loose, blocks, molasses mineral tubs, and molasses protein tubs, add the following amounts of Altosid<sup>®</sup> IGR Custom Blend 2% to achieve horn fly control:

Daily Feeding Rate	Lb/Ton	Daily Feeding Rate	Lb/Ton
8 oz/head¹/day	5	1 oz/250 lb	10
4 oz/head <sup>1</sup> /day	10	1 oz/500 lb	20
3 oz/head <sup>1</sup> /day	13	1 oz/750 lb	30
2 oz/head <sup>1</sup> /day	20		

<sup>1</sup>The calculations in the chart assume a 1,000 lb animal as the head weight

These directions provide a target rate of 1.13 mg/100 lb of body weight/day of active ingredient.

### Important Note to Feed Mill Operators

• After the addition of the liquid components, add the Altosid® IGR Custom Blend 2% and blend to homogeneity.

## When and How to Use Altosid® IGR Custom Blend 2%

Use Altosid<sup>®</sup> IGR Custom Blend 2% to break the life cycle of the horn fly. When fed to cattle, Altosid<sup>®</sup> IGR Custom Blend 2% passes through the digestive system and is deposited throughout the manure. Here it stops the development of immature horn flies, before they can emerge as new adult horn flies. Altosid<sup>®</sup> IGR Custom Blend 2% does not affect existing adult horn flies.

Start feeding **Altosid® IGR Custom Blend 2%** 30 days before horn flies normally appear. Continue feeding throughout the summer and into the fall until cold weather restricts horn fly activity.

If significant numbers of adult horn flies are already present when **Altosid® IGR Custom Blend 2%** is introduced, it may take 3 to 5 weeks for an effect on the adult horn fly population to be clearly observed. For fast relief from existing horn fly burdens, consider the use of adulticide sprays, dusts, back-rubbers, or pour-ons.

Adult horn flies remain feeding on cattle day and night and leave the animal only to lay eggs in freshly passed manure. Without **Altosid® IGR Custom Blend 2%**, eggs hatch and develop in the manure, resulting in a new generation of adult horn flies. These newly emerged horn flies may be carried downwind to a neighboring herd. Area wide horn fly control to include neighboring herds reduces the numbers of migrating horn flies.

Altosid® IGR Custom Blend 2% may be fed up to slaughter and to lactating dairy cows without withholding milk.

% (S)-Methoprene ement	Altosid is a registered trademark of Wellmark International.	EPA Reg. No. 2724-841-89459 EPA Est. No. 2724-TX-1
<b>2%</b> (S)-Methoprene	NET WEIGHT: 40 LBS (18.16 KG)	300529723

FOR CUSTOM BLENDING ONLY INTO CATTLE RATIONS